

Aspire One AOD150

Refer Last Page for Part
Number List

10.1" Screen Netbook



Product Images



Specifications	
Operating system¹	Genuine Windows® XP Home (Service Pack 3)
Platform¹	Intel® Atom™ processor N270/N280 (1.60/1.66 GHz, 533/667 MHz FSB, 512 KB L2 cache) Mobile Intel® 945GSE Express Chipset (DDR2 400/533/667 MHz) Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology ²
System memory^{1, 3, 4}	Single channel with one soDIMM slot <ul style="list-style-type: none"> • DDR2 667 MHz SDRAM memory interface design • soDIMM slot: 1 GB DIMM
Display	10.1" WSVGA high-brightness (typical 180-nit) Acer CrystalBrite™ TFT LCD, 1024 x 600 pixel resolution <ul style="list-style-type: none"> • LED backlight • 262,000 colors supported
Storage⁶	2.5" 9.5 mm 160 GB hard disk drive Multi-in-1 card reader: <ul style="list-style-type: none"> • Supporting Secure Digital™ (SD) Card, MultiMediaCard (MMC), Reduced-Size Multimedia Card (RS-MMC), Memory Stick™ (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD) • Supporting storage cards with adapter: miniSD™, microSD™, Memory Stick Duo™, Memory Stick PRO Duo™
Audio	High-definition audio support Two built-in stereo speakers MS-Sound compatible Built-in digital microphone
Communication	Integrated Acer Crystal Eye webcam, supporting 0.3 megapixel resolution WLAN ² : Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology LAN: 10/100 Mbps Fast Ethernet WPAN ¹ : Bluetooth® 2.0+EDR (Enhanced Data Rate)
Dimensions and weight¹	260 (W) x 185 (D) x 33.4 (H) mm (10.2 x 7.28 x 1.31 inches) 1.33 kg (2.95 lbs.)
Power¹	57.7 W 5200 mAh 6-cell Li-ion battery pack <ul style="list-style-type: none"> • 7-hour battery life⁷ 30 W adapter with power cord ENERGY STAR® 4.0

Specifications

Special keys and controls	84-key keyboard with 1.6 mm (minimum) key travel Touchpad pointing device with two buttons 12 function keys, four cursor keys, one Windows® key for Windows® XP Home, hotkey controls, embedded numeric keypad, international language support Power button with LED Easy-access switches with LED: WLAN, WWAN ¹
I/O ports	Multi-in-1 card reader Three USB 2.0 ports External display (VGA) port Headphone/speaker/line-out jack Microphone-in jack Ethernet (RJ-45) port DC-in jack for AC adapter
Software	Acer Recovery Management Acer Launch Manager Adobe® Reader® McAfee® Internet Security Suite Microsoft® Office Trial 2007
Accessories	In-box: <ul style="list-style-type: none">• Protective bag
Warranty	One-year International Travelers Warranty (ITW)

1. Specifications vary depending on model.
2. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
3. All available system memory may be allocated for system resource requirements.
4. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
5. Manufacturing option.
6. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment.
7. Battery life varies depending on product specifications, computer settings, and applications or features launched. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-

Specifications

name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.

Part # (Blue Color)	LU.S620B.188 (AOD150-0Bb) - EAN Code : 4712842605560
Part # (Black Color)	LU.S570B.277 (AOD150-0Bk) - EAN Code: 4712842605553
Part # (Red Color)	LU.S560B.225 (AOD150-0Br) - EAN Code: 4712842605546